





TECHNICAL NOTICE - SORTING

Sortability of ALPHAFORM / PPNOIRSNC packaging at sorting centers

APPLICATION DESCRIPTION

	GENERAL INFORMATION	
APPLICANT	ALPHAFORM	
APPLICATION DATE	2022	
PACKAGING BRAND - ITEM	PPNOIRSNC	
DE	SCRIPTION OF PACKAGIN	IG
PACKAGING TYPE	Tray	
COLOR	Black	
THICKNESS	NA	
	MATERIALS	
BODY	PP, 4% black colorant Details of the colorant used are confidential. The exact reference of the colorant was provided to COTREP to enable i to issue this notice.	
PUF	POSE OF THE APPLICAT	ON
To test the sortability at French s	orting centers of the black p provided by ALPHAFORM	ackaging PPNOIRSNC which is
notice relates to the sortability	/ of the packaging and not	its recyclability.
	[-√\□ ≏_] 🍪	
Sorting centre Ability of packaging waste to be channelled to the regeneration plant	Regeneration Ability of packaging waste to be converted into ready-to- use flakes or granulate	Use of recycled material Ability of flakes or granulate to be converted into new products
Study scope		

TECHNICAL CONCLUSIONS

Given the evidence provided to COTREP, and in view of the results presented in the test reports from optical sorting (O.S.) equipment manufacturers, ALPHAFORM PPNOIRSNC PP black packaging is detectable by optical sorting in conditions representative of the technology used in French household packaging waste sorting centers. This packaging can therefore be detected as PP packaging with a satisfactory level of performance.

Although COTREP is issuing a positive opinion regarding the detectability and sortability of ALPHAFORM PPNOIRSNC PP black packaging, this opinion provides no indication of its recyclability.

Moreover, COTREP reserves the right to review its opinion if the company modifies the packaging composition, e.g. by:

- modifying the resin¹;
- using recycled materials/production scrap potentially containing carbon black;
- modifying the colorant solution and/or its proportions.

¹ The term "resin" is understood to mean the type of polymer used, i.e. "PP", "PS", "PET" or "HDPE". The notice remains valid if the supplier of the type of polymer tested changes.



des Emballages Plastiques

FIND OUT MORE

The extension of sorting guidelines to all plastic packaging has led to the modernization of sorting centers in France. In particular, centers are automating their processes and acquiring optical separators using near infrared technology.

This step in the sorting process is critical to separating plastic packaging. It enables packaging to be sorted by resin and color.

At this step in the sorting process, undetectable packaging is rejected by sorting centers and sent for energy recovery.

Carbon black pigment, which is currently widely used for dark-colored packaging, absorbs infrared light emitted by the optical sorting equipment and returns no signal. Consequently, the packaging is not detected and therefore neither sorted nor recycled.

ALPHAFORM packaging is a PP black tray using an alternative colorant solution to carbon black at a concentration of 4%. Details of the colorant used are confidential. The exact reference of the colorant was provided to COTREP to enable it to issue this notice. The results of static and dynamic tests performed on the premises of two O.S. manufacturers (PELLENC SA and TOMRA) according to the COTREP procedure were positive. The ALPHAFORM PP black trays were detected and channeled to the PP stream with the same level of performance (quality, capture rate) as other rigid PP household packaging waste.

The conclusions set out in this notice are based on a set of commitments undertaken by each of the parties indicated below.

ALPHAFORM undertook to:

- use the sorting procedure provided by COTREP ("COTREP optical sorting test procedure for assessing the detectability of dark packaging at optical sorting stages" - version of November 2021²);
- perform tests on the premises of two O.S. manufacturers representative of existing sorting facilities in France;
- submit test reports to COTREP for its analysis and opinion;
- offer a colorant solution that:
 - meets the essential requirements of the Packaging and Packaging Waste Directive (94/62/EC).
 - does not alter the density of the packaging: the density of packaging consisting of PP or PE must be < 1 and > 1 for packaging consisting of PET or PS.

The O.S. manufacturers made an undertaking to COTREP to:

- follow the procedure in its entirety;
- perform tests using technologies and machine settings representative of those used in current sorting centres and under normal operating conditions.

Paris, February 15th 2022

² Available on COTREP's website : <u>https://www.cotrep.fr/content/uploads/sites/3/2019/02/2021-cotrep-protocole-test-tri-optique-emballages-sombres-v1-en-2.pdf</u>